TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD ROSE IS. LT STATION MONTH OF JULY

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	4000		285	21	10,000		
EXPENDED	0092		085	1	3,700		
REMAINING	3908		200	20	6,300		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

		RADIO BEACON		
	FOG SIGNAL	LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	1,202.20 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	154.30 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	1,356.50 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)		X			
CG16585					
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED ______ DAYS LOST ______ ACCIDENTAL DAMAGE TO PROPERTY, $ ______

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
GULL ROCKS L/S	547	GOOD	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

VINCENT R. ROY BM-1 OinC
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 1 JULY, 1961 SAT. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2978		68	BC	AS/ST	5	8		
0400	SW	1	2983		69	BC	AS/ST	4	8		
0800	SW	1	2986		72	BC	AS/ST	4	8		
1200	SW	1	2986		80	BC	AS/ST	4	8		
1600	NW	1	29.79		79	B	—	—	8		
2000	W	2	29.79		78	B	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1235	21	4700
EXPENDED	5	—	200
REMAINING	1230	21	4,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted ~~0500~~ 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED VIS. A/N
0400-CHECKED VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURN TO
1200-CHOW
1300-TURN TO
1530-ROY BM-1 RETURNED FROM LIBERTY
1600-WHITE EN-2 DEPARTED ON LIBERTY
1630-SECURED STATION WORK
2000-TURNED ON MAIN LIGHT
2025-EVENING COLORS

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 2 JULY 1961 SUN. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.78	–	77	B	–	–	8		
0400	Calm		29.79	–	77	B	–	–	8		
0800	Calm		29.80	–	79	B	–	–	8		
1200	SW	2	29.74	–	80	BC	AS/ST	6	8		
1600	SW	3	2969	–	76	BC	AS/ST	6	8		
2000	WSW	5	29.60	–	72	BC	AS/ST	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1230	21	4,500
EXPENDED	5	–	200
REMAINING	1225	21	4,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000-CHECKED VIS. A/N
0400-CHECKED VIS. A/N
0500-SECURED MAIN LIGHT
0800-MORNING COLORS, TURN TO STATION WORK
1200-SECURED STATION WORK
1600-CHECKED VIS. A/N
2000-TURNED ON MAIN LIGHT
2024-EVENING COLORS

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy BM-1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 3 JULY 1961 MON. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.60		72	BC	AS/ST	8	8		
0400	SW	2	29.61		72	BC	AS/ST	8	8		
0800	CALM		29.61		72	O	ST	10	7		
1200	CALM		2964		74	O	ST	10	7		
1600	SW	1	2964		75	BC	AS/ST	10	7		
2000	SW	1	2964		69	BC	AS/ST	10	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1225	21	4,300
EXPENDED	10	—	200
REMAINING	1215	21	4100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0830 TIME STOP 0930

RADIOBEACON TEST

TIME START TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N

0400 checked Vis A/N

0500 Secured Main Light

0800 Morning Colors, Turn To

1000 White EN-2 Returned From Liberty

Sutton Departed on Liberty

1200 Chow

1300 Turn To

1600 Secured Station Work

2000 Turned on Main Light

2015 Colors

L G White

CERTIFIED TO BE CORRECT

Vincent P. Roy

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 4 JULY, 1961 TUE. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WNW	1	2970		70	BC	AS/ST	5	8		
0400	WNW	1	2976		72	BC	AS/ST	5	8		
0800	Calm		2982		74	BC	AS	5	8		
1200	Calm		2984		77	BC	AS	6	8		
1600	W	1	2989		76	BC	AS	6	8		
2000	W	1	2996		74	BC	AS	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1215	21	4100
EXPENDED	15	–	200
REMAINING	1200	21	3900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0200 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis. A/N

0400 checked Vis A/N

0500 Secured Main Light

0800 Morning colors, Turn To

1200 chow Secured Work Holliday Routine

1600 checked Vis A/N

2000 Turned on Main Light

2015 Evening Colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 5 JULY, 1961 WED. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	W	1	2998		66	BC	AS/ST	5	8		
0400	calm		3002		66	BC	AS/ST	5	8		
0800	calm		3006		73	BC	AS/ST	4	8		
1200	calm		3008		78	BC	AS/ST	3	8		
1600	SSW	1	3002		72	BC	AS/ST	2	8		
2000	SSW	1	3002		62	BC	AS/ST	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1200	21	3,900
EXPENDED	15	—	200
REMAINING	1185	21	3700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked Vis. A/N
0400 checked Vis. A/N
0500 Secured Main light
0800 Morning Colors, Turn To
1200 Chow
1300 Turn To
1600 Secured Work
2000 Turned on Main Light
2015 Evening Colors

L G White

CERTIFIED TO BE CORRECT

Vincent P. Roy
(Officer in Charge)

6

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 6 JULY 1961 THU. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSW	1	3002		64	BC	AS/ST	6	8		
0400	calm		3002		64	OF	AS/ST	6	0		
0800	calm		3004		71	OF	AS/ST	8	7		
1200	SW	1	30.04		71	BCZ	AC	7	7		
1600	SW	3	30.04		71	BCZ	AC	7	8		
2000	S	1	30.04		70	BCZ	AC	7	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1185	21	3700
EXPENDED	15	—	200
REMAINING	1170	21	3,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0330	0830	5	—	15
TOTAL FOR DAY		5		
TOTAL FOR MONTH		5		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis. A/N

0330 Started fog Horn & Gull RKS. Bell

0800 Morning Colors

0830 Secured Main Light Fog Horn Gull RKS Bell

0930 Sutton SN Returned from Liberty

0935 White EN-2 Departed on Liberty

1200 Chow

1300 Turn To

1600 Secured work

2000 Turn on Main Light

2015 Evening Colors

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 7 JULY 1961 FRI. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		30.05		68	BCZ	AC	4	7		
0400	Calm		30.06		67	BCZ	AC	4	7		
0800	SE	2	30.09		67	BCZ	AC	5	7		
1200	SE	3	30.06		66	BC	AC	5	7		
1600	SE	3	30.02		66	BC	AC	5	7		
2000	SE	3	30.00		65	BC	AC	7	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1170	21	3,500
EXPENDED	15	—	200
REMAINING	1155	21	3,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0830 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0430	0830	4		
TOTAL FOR DAY		4	—	
TOTAL FOR MONTH		9	—	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N

0400 Checked Vis A/N

0430 Turned on Fog Horn & Gull RKS Bell

0800 Morning Colors Turn To

0830 Secured Fog Horn Main Light & Gull RKS Bell

1200 Chow

1300 Turn To

1630 Secured Work

2000 Turned on Main Light

2015 Evening Colors

Vincent Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 8 JULY 1961 SAT. **LOCATION** NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.98		65	BC	AC	7	7		
0400	N	1	29.95		65	BC	AC	7	7		
0800	N	1	2991		65	O	AC	9	7		
1200	N	1	2990		65	O	AC	9	7		
1600	NE	2	2990		66	BC	AS	8	8		
2000	SE	2	2990		64	BC	AS	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1155	21	3,300
EXPENDED	5	—	100
REMAINING	1150	21	3200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0730 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0330	0730	4	—	
TOTAL FOR DAY		4		
TOTAL FOR MONTH		13		15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1000 TIME STOP 1100

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

* 0500 SECURED MAIN LIGHT

0000 Check all vis a/n

0330 Started Fog horn and Gull Rks Bell

0800 MORNING COLORS TURNED TO STATION WORK

0930 Secured Fog Horn and Gull Rks Bell and Main Light

0930 White En-2 ~~departed~~ returned on liberty

1200 Chow

1230 turned to station work

1600 secured from station work

2000 turned on Main light

2014 Colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE SUN. 9 JULY 1961 LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		2989		62	BC	AS	2	8		
0400	calm		2989		62	BC	AS	2	8		
0800	calm		2990		68	BC	AS	2	8		
1200	calm		2992		74	BC	AS	3	8		
1600	NW	1	2992		74	BC	AS	3	8		
2000	S	1	2992		64	BC	AS	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1150	21	3200
EXPENDED	16	—	100
REMAINING	1140	21	3100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis. A/N
0400 Checked Vis A/N
0500 secured Main Light
0800 Colors
1200 Chow
1230 turn to
1600 secured
2000 turned on Main Light
2014 Colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 10 JULY, 1961 MON. LOCATION
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	1	2994		64	BC	AS	3	8		
0400	calm		2998		66	B	AS	1	8		
0800	calm		3000		78	BC	AS	1	8		
1200	SW	1	2994		76	BC	AS	2	8		
1600	SW	2	2992		72	BC	AS	2	8		
2000	SW	2	2997		81	BC	AS	2	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1140	21	10000
EXPENDED	10	—	100
REMAINING	1130	21	9,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0700 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/N
0400 Checked Vis A/N
0500 Secured Main Light
0800 Colors, turn to
0900 started station Machinery
1000 secured station Machinery
1130 SPAR C.G.C. 403 anchored to supply Water
1240 SPAR C.G.C. 403 departed Rose Island, Chow
1330 turn to
1600 secured station work, Checked Vis A/N
2000 Checked Vis A/N turned on Main Light
2015 Colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 11 JULY 1961 TUE. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.97		70	BC	AS	1	8		
0400	SW	1	29.99		70	B	–	–	8		
0800	S	1	3000		77	B	–	–	8		
1200	SW	2	3000		80	B	–	–	8		
1600	SW	2	3002		66	B	–	–	8		
2000	SW	2	3004		64	BC	AS	4	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1130	21	9,900
EXPENDED	10	–	100
REMAINING	1120	21	9,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0700 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis a/N
0400 checked Vis a/N.
0500 Secured Main Light
0800 colors, turn to
0900 started station Machinery
1000 secured station Machinery
1200 Chow
1300 turn to
1600 Secured Checked Vis a/N
1800 turn on Main Light
1814 Colors

L. G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 12 JULY 1961 WED. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3000		63	BC	AS/ST	5	8		
0400	SW	1	3004		65	BC	AS/ST	3	8		
0800	SW	1	3010		79	BC	AS/ST	3	8		
1200	SW	1	3008		78	BC	AS/ST	3	8		
1600	SW	2	3008		76	DC	AS/ST	3	8		
2000	SW	2	3008		70	BC	AS/ST	3	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1120	21	9,800
EXPENDED	5	—	100
REMAINING	1115	21	9,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0805 TIME STOP 0905

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked this A/N
0400 checked Ves A/N
0500 turned off Main light
0800 Colors lowe to
0805 started station Machinery
0905 secured station Machinery.
0830 Roy BM-1 Returned from Liberty
Sutton SN departed on liberty
1200 Chow
1315 Johnson called from Gull Rks need
asst. fire out of control Notefied castle hill
1900 telephone Inoperative
1400 secured station work
2000 turned on Main light
2013 Colors

Vincent R. Roy.

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

Digital Surrogate of NARA Original Record - NND 988096

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 13 JULY 1961 THU. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	3008		70	BC	AS/ST	4	8		
0400	SW	2	3006		69	BC	AS/ST	5	8		
0800	SW	1	3004		75	BC	AS/ST	8	8		
1200	SW	1	3004		79	BC	AS/ST	6	8		
1600	SW	2	3000		72	BC	AS/ST	6	8		
2000	SW	2	2998		68	BC	AS/ST	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1115	21	9700
EXPENDED	10	—	200
REMAINING	1105	21	9500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked Vis a/d
0400 checked Vis a/d
0500 secured Main light
0800 colors Turn to
0900 started station Machinery
1000 secured station Machinery
1200 chow
1230 Turn to
1330 Group commander arived unit inspection
also Tel. Repair man
1550 Group commander & Tel repair man
departed this unit
1600 secured station work checked Vis a/d
2000 turned on Main light
2018 colors

Vincent Roy.

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 14 JULY 1961 FRI. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	1	3002		66	OF	AS/ST	4	8		
0400	E	1	2998		64	OF	AS/ST	5	8		
0800	E	1	2994		66	OF	AS/ST	7	1		
1200	E	1	29.96		66	BC	AS/ST	7	8		
1600	E	2	29.98		66	BC	AS/ST	7	8		
2000	E	2	30.06		66	BC	AS/ST	7	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1105	21	9500
EXPENDED	5	—	200
REMAINING	1100	21	9,300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1100 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0500	1100	6	00	15
TOTAL FOR DAY		6	00	
TOTAL FOR MONTH		19	00	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis a/n
0400 Checked Vis a/n
0500 started fog horn & Gull Rks Bell
0800 colors turn to
0900 started station machinery
1000 secured station machinery fog horn & Gull Rks Bell
main light
1130 chow
1230 turn to
1630 secured station work
2000 turn on main light
2011 colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

15

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 15 JULY 1961 SAT. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	2	30.06	—	66	0	NS	10	8		
0400	E	2	30.08	—	65	0	NS	10	8		
0800	E	3	30.10	—	64	0	NS	10	8	—	—
1200	E	3	30.12	—	64	0	NS	10	8	—	—
1600	E	3	30.10		64	0	NS	10	8		
2000	NE	4	30.07		64	0	NS	10	7.		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1100	21	9,300
EXPENDED	10	—	200
REMAINING	1090	21	9,100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

RADIOBEACON (Low visibility and calibration time only)

FOG SIGNAL					RADIOBEACON					CALIBRATION SERVICES			
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked Vis A/N
0400 checked Vis A/N
0500 secured Main light
0800 colors turn to
0900 Made Inspection of station
1130 chow
1230 turn to
1430 Roy BM-1 departed on CG-40522 for Wickford Hbr.
1630 secured station Work
1900 Roy BM-1 Returned station
2000 turned on Main light
2010 colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 16 JULY 1961 SUN. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SE	3	30.05		63	O/G	ST	10	7		
0400	SW	5	30.01		60	O/R	NS	10	8		
0800	Calm		29.97		70	O/F	–	–	0		
1200	Calm		29.91		71	O/F	–	–	0		
1600	calm		29.87		72	O/F	–	–	0		
2000	N	2	29.90		68	O/F	NS	10	2		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1090	21	9,100
EXPENDED	10	–	200
REMAINING	1080	21	8,900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1700 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0900	1700	8	–	15
2000	2100	1		15
2200	2400	2		15
TOTAL FOR DAY		11	–	15
TOTAL FOR MONTH		30	–	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked Vis a/p

0400 checked Vis a/p
0520 secured Main Light
0800 Colors turn to
0800 started Fog horn & Gull Rks Bell & Main Light
1200 chow
1300 turn to
1600 secured station work
1700 secured Fog horn Main Light & Gull Rks Bell
2000 turned on Fog horn Main Light & Gull Rks Bell
2009 colors
2100 secured Fog horn Gull Rks Bell
2200 turned on Fog horn Gull Rks Bell

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

17

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 17 JULY 1961 MON. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SE	1	29.90		66	O/F	NS	10	0		
0400	SE	2	29.89		66	O/F	NS	10	0		
0800	SE	2	29.88		66	O/F	NS	10	0		
1200	S	2	29.88	—	66	O/F	NS	10	6	—	—
1600	SE	2	29.84	—	66	O/F	NS	10	0		
2000	S	2	29.82		66	O/F	NS	10	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1080	21	8,900
EXPENDED	10	—	200
REMAINING	1070	21	8,700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1500 Time Lighted 1600

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
0000	1500	15		
1600	0000	8		
TOTAL FOR DAY		23		
TOTAL FOR MONTH		53		15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked vis a/n
0400 checked vis a/n
0800 Morning colors
0805 turned to station work.
0900 Started Station generators
1000 Secured Station generators
11300 Secured from Station work.
1200 turned to Station work
1500 Secured main light, fog horn & gull rocks bell
1600 turned on main light, fog horn & gull rocks bell
1620 Secured from station work
2015 Evening colors

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 18 JULY 1961 TUE. (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.84	–	69	O/F	NS	10	0		
0400	S	1	29.86	–	70	O/F	NS	10	0		
0800	S	1	29.88	–	75	BC	AS/ST	8	7		
1200	SW	2	29.85	–	75	BC	AS/ST	5	6		
1600	SW	3	29.85	–	75	BC/2	AS ST	2	6		
2000	SW	2	29.83	–	75	BC/2	AS/ST	2	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1070	21	8,700
EXPENDED	10	–	200
REMAINING	1060	21	8,500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0900 Time Lighted 2000

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE	RADIOBEACON TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	MIN.	SPECIAL CALIB. BEACON HR.	MIN.
0000	0900	9		15									
TOTAL FOR DAY		9		15	TOTAL FOR DAY								
TOTAL FOR MONTH		60			TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/N
0100 Checked vis A/N
0800 Morning colors
0900 Secured foghorn, main light & gull rocks bell
*0830 White En 2 called from Paut. said child was sick
liberty granted until 1200 by O in C
0930 Started station generators
1030 Secured station generators
Secured station work
1200 turned to station work
1600 Secured from station work
Checked vis A/N

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 19 JULY 1961 WED. LOCATION NEWPORT , RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	2984		75	B/Z	—	—	7		
0400	S	2	29.85		75	B/Z	—	—	7		
0800	S	1	2985	—	82	B/Z	—	—	7		
1200	SW	2	2988	—	82	B/Z	—	—	7		
1600	SW	2	2988	—	74	B/Z			6		
2000	SW	1	29.85	—	73	B/Z	—	—	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1060	21	8,500
EXPENDED	10		200
REMAINING	1050	21	8300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0800 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0500	0800	3	—	15
2345	2400	–	15	
TOTAL FOR DAY		3	15	15
TOTAL FOR MONTH		63	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/N

0400 Checked vis A/N

0500 Started fog horn & gull rocks bell

0800 Secured main light, fog horn & gull rocks bell

Morning colors

0900 ~~Station~~ Started station generators

1000 Secured Station generators

1200 Chow

1300 turned to

1600 Secured Station work, checked vis A/N

2015 Evening colors

2345 Started fog horn & gull rocks bell

J G White

CERTIFIED TO BE CORRECT

Vincent A. Roy
(Officer in Charge)

20

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 20 JULY 1961 THU. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	Calm		29.88		76	O/F	NS/ST	9	6		
0400	Calm		2980		77	O/F	O/—		0		
0800	Calm		29.79		77	O/F	—		0		
1200	E	1	2977		74	O/F			4		
1600	E	1	2474		72	BC/Z	AS/ST	7	8		
2000	E	1	2980		70	BC	AS/ST	7	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1050	21	8300
EXPENDED	10		200
REMAINING	1040	21	8100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1100 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1100	11	—	15
TOTAL FOR DAY		11	—	
TOTAL FOR MONTH		24	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1300 TIME STOP 1400

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/n

0400 Checked vis A/n

0800 Started day-work

1000 Roy BM-1 returned station, Sutton B.M. departed enroute Brighton Marine Hospital U.S.P.H.

1200 Chow

1800 turned to, Started Station Machinery

1400 Secured Station Machinery

1600 Secured Station work

2000 Turned on main light, Evening colors, Checked vis A/n

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

21

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 21 JULY 1961 FRI. **LOCATION** NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	1	2982		68	BC	AS/ST	4	8		
0400	SE	1	2984		69	BC	AS/ST	5	8		
0800	SE	1	2986		76	BC	AS/ST	6	6		
1200	SW	2	2988		80	BZ	AS/ST	4	7		
1600	SW	2	2988		74	BZ	AS/ST	4	6		
2000	SW	2	2988		74	BZ	AS/ST	4	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1040	21	8100
EXPENDED	10	—	200
REMAINING	1070	21	7900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/n
0400 Checked vis A/n
0500 Secured Main light
0800 Morning color, turned to
0900 Started station~~en~~ generator
1000 Secured station generator
1200 Chow
1300 Station Inspection by O in C
1600 Checked vis A/n
2000 Turned on Main light, Colors

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

22

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 22 JULY 1961 SAT. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2996	-	64	BC	AS/ST	5	8		
0400	Calm		2998	-	68	F	—	—	0		
0800	Calm		2980	-	76	F	—	—	1		
1200	SW	1	29.79	-	80	B/2	—	—	7		
1600	SW	2	29.82	-	78	B/2	—	—	7		
2000	calm		29.85	-	72	B/2	—	—	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1030	21	7,900
EXPENDED	10	—	200
REMAINING	1020	21	7,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
~~0400~~	~~2400~~	~~[illegible]~~		
0400	1000	6	—	15
TOTAL FOR DAY		6	—	
TOTAL FOR MONTH		80	15	15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/n
0400 Checked vis A/n
0500 Secured main light
0800 Morning colors, turned to
0930 Sutton SN returned station
1200 Chow
1300 turned to
1600 Secured station work
1630 Roy BM-1 departed on liberty
2000 turned on main light, colors

L. G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 23 JULY 1961 SUN. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	calm		29.87		70	Bc	AS	4	6		
0400	calm		29.88		72	F	—	—	0		
0800	calm		29.90		79	F	—	—	0		
1200	SW	1	29.93		85	B/2	—	—	7		
1600	SW	3	29.95	-	80	B/2	—	-	7	—	-
2000	SW	2	29.98	—	74	B/2	—	—	6	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1020	21	9,600
EXPENDED	15	—	200
REMAINING	1005	21	9,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1100 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0400	1100	7	—	15
2030	2400	3	30	15
TOTAL FOR DAY		10	30	15
TOTAL FOR MONTH		90	40	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked Vis A/n

0400 Checked Vis A/n

Started fog Horn & gull rocks bell

0800 Morning colors

1100 Secured main light, fog horn & gull rocks bell

1200 Chow - Checked vis A/n

1600 Checked vis A/n

2000 Turned on main light

2015 Colors

2030 Started fog horn & gull rocks bell

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 24 JULY 1961 MON. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.98	–	74	O/F	NS	10	0	–	–
0400	SW	2	30.97	–	74	O/F	NS	10	0	–	–
0800	SW	2	30.96	–	75	O/F	NS	10	0	–	–
1200	SW	3	30.94	–	77	O/F	NS	10	0	–	–
1600	SW	4	30.92	–	80	O/F	NS	10	1	–	–
2000	SW	1	30.79		78	O/F	NS	10	1	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3000 1005	21	7,400
EXPENDED	15 ~~005~~	–	200
REMAINING	3,990	21	7,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~000~~0 Time Lighted 2400

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	2400	24		15
TOTAL FOR DAY		24		
TOTAL FOR MONTH		115		15

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis. A/n
0400 Checked ~~vis~~ A/n
0800 Morning Colors
0805 turned to station work
0900 Started station generators
1000 Secured station generators
1130 CGC Spar ~~moored~~ with fuel
1233 CGC Spar departed Station
1300 Chow
1330 turned to
1600 Secured station work
2000 Colors

L. G. White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

25

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 25 JULY 1961 TUE. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	3042		70	OF	NS	10	2		
0400	SW	1	3008		69	OF	NS	10	4		
0800	SW	2	2990		68	O/F	NS	10	4		
1200	SW	2	2988		74	O/F	NS	10	2		
1600	SW	1	2990		74	O/F	NS	10	4		
2000	SW	1	2990		73	O/F	NS	10	0		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,993	21	7,400
EXPENDED	15	–	200
REMAINING	3,978	21	7200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~00~~ 2400 Time Lighted 0000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	2400	24		15
TOTAL FOR DAY		24		
TOTAL FOR MONTH		139		

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/n
0400 Checked vis A/n
0800 Morning colors, turned to
0845 Roy BM-1 returned station
Sutton SN departed on liberty
1200 Chow
1300 turned to
1600 Secured Station work
Checked vis A/n
2000 turned on main light, colors

L H White

CERTIFIED TO BE CORRECT

Vincent R Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 26 JULY 1961 WED. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	2990		74	O/F	NS	10	0		
0400	calm		2991		74	O/F	NS	10	0		
0800	calm		2991		76	O/F	NS	10	0		
1200	calm		2994		87	~~AS/ST~~ BC	AS/ST	3	8		
1600	SW	1	2994		82	BC	AS/ST	3	8		
2000	NNW	1	2994		76	BC	AS/ST	3	7		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3978	21	7200
EXPENDED	10	-	200
REMAINING	3968	21	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 1030 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1030	10	30	15
TOTAL FOR DAY		10	30	15
TOTAL FOR MONTH		149	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/n

0400 Checked vis A/n

0800 Morning colors, turned to

1030 Secured main light, fog horn, & gull rocks bell

1200 Chow

1300 turned to Station work

1400 CG 20 foot brought out Johnson 10 H.P. outboard engine

1600 Checked vis A/n, Roy departed to buy. clips to mount outboard on station boat

2000 turned on main light, Colors, Checked vis A/N

Vincent Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

27

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 27 JULY 1961 THU. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNW	2	2998		72	BC	NS	3	8		
0400	NW	2	2998		72	BC	NS	4	8		
0800	NW	2	3002		76	BC	NS	5	8		
1200	NW	2	3004		87	B			8		
1600	NW	2	3008		86	B			8		
2000	NW	2	3010		74	B			8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3968	21	7000
EXPENDED	10	—	100
REMAINING	3958	21	6900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/N
0400 Checked vis A/n
0500 Secured main light
0800 Morning colors, turnedto, colors
1130 Secured for chow
1280 turnedto
1630 ~~turned~~ Secured from station work
2000 turnedto main light

L G White

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 28 JULY 1961 FRI. (Insert day of week, day, month, year) LOCATION NEWPORT, RHODE ISLAND

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		30.09	–	76	B	–	–	8	–	–
0400	CALM		30.09	–	76	B	–	–	8	–	–
0800	CALM		30.08	–	76	BC	AS/ST	4	8	–	–
1200	CALM		30.04	–	84	BC	AS/ST	4	8	–	–
1600	SW	1	30.02		85	BC	AS/ST	4	8		
2000	SW	1	30.00		77	BC	AS/ST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,958	21	6,900
EXPENDED	10	–	100
REMAINING	3,948	21	6,800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/N
0400 Checked vis A/n
0500 Secured main light
0800 Morning colors
0805 turned to station work
0900 Started station generators
0930 White EN2 departed on liberty to Castle Hill LBS in CG16585
1030 Sutton SN returned from liberty in CG16585 from Castle Hill LBS
1130 Secured for chow
1200 turned to station work
1300 Roy BM-1 departed in CG16585 for Castle Hill LBS
1400 Murphy FA reported aboard for duty
1430 Murphy FA departed on liberty
1630 Secured from station work

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 29 JULY 1961SAT. (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SE	3	30.00		75	B/C	AS/ST	8	7		
0400	SE	3	29.99		72	B/C	AS/ST	8	7		
0800	SE	4	29.98		70	O	AS/ST	10	8		
1200	SE	4	29.97		70	O/R	AS/ST	10	8		
1600	S	2	29.97		74	BC	AS/ST	7	8		
2000	S	2	29.97		74	BC	AS/ST	6	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3948	21	6800
EXPENDED	20	–	200
REMAINING	3928	21	6,600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000. Checked vis A/N

0400. Checked vis A/n

0500 Secured main light

0800 Morning colors

0900 Started station generators

1000 Secured station generators

1130 Secured for chow

1230 Turned to station work

1600 Secured station work

2000 turned on main light

Vincent R. Roy

CERTIFIED TO BE CORRECT

Vincent R. Roy

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 30 JULY 1961 SUN. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		29.96	—	76	BC	ST	2	8		
0400	CALM		29.92	—	78	BC	ST	2	8		
0800	CALM		29.90	—	80	BC	ST	2	8		
1200	SW	2	29.88	—	86	BC	AS/ST	4	8		
1600	SW	2	29.86	—	80	BC	AS/ST	5	8		
2000	SW	2	29.82		74	BC	AS/ST	5	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,928	21	6,600
EXPENDED	10	—	200
REMAINING	3,918	21	6,400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 2000

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRESSURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES: REGULAR RADIOBEACON		CALIBRATION SERVICES: SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH					TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Check vis A/N
0400 Checked vis A/N
0500 Main light Secured
0800 Morning Colors
0900 Started Station generators
1000 Secured station generators
1130 Secured for chow
1280 turned to
1600 Secured Station work
2000 Turned on main light

Vincent R. Roy

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

CERTIFIED TO BE CORRECT

Vincent R. Roy
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD ROSE ISLAND LIGHT STATION

DATE 31 JULY 1961 MON. LOCATION NEWPORT, RHODE ISLAND
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	CALM		29.88	—	74	BC	AS/ST	4	8		
0400	CALM		29.89	—	74	B/C	AS/ST	4	8		
0800	CALM		29.90	—	78	B/2	—	—	7		
1200	SW	1	2990	—	79	B	—	—	8		
1600	SW	1	29.98	—	76	BC	AS/ST	4	8		
2000	SW	2	29.88	—	72	C	NS	10	6		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	3,918	21	6,400
EXPENDED	10	—	200
REMAINING	3,908	21	6,200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	4	
ATTACHED	4	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0500 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1915	2400	5		15
TOTAL FOR DAY		5		
TOTAL FOR MONTH				

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked vis A/N

1400 Checked vis A/N

0500 Secured main light

0800 Morning colors, turned to

0845 Roy BM-1 departed in CG 16585

1000 Roy BM-1, White En 2, Murphy FA moored station

1100 Roy BM-1 departed for gull rocks with work party

1115 Roy BM-1 returned station

1630 Roy BM-1 departed for work party

1700 Roy BM-1 & work party moored station

1915 turned on main light, fog horn & gull rocks bell

L G White

CERTIFIED TO BE CORRECT

Vincent H. Roy

(Officer in Charge)